

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PETAMO GHY 133 N (H)

Article-No. : 094148

Manufacturer or supplier's details

Company : Klüber Lubrication München
Geisenhausenerstr. 7
81379 München
Deutschland
Tel: +49 (0) 89 7876 0
Fax: +49 (0) 89 7876 333
info@klueber.com

E-mail address of person responsible for the SDS : mcm@klueber.com
Material Compliance Management

National contact : Klüber Lubrication Lubrificantes Especiais Ltda.
Rua São Paulo, 345 - Distrito Industrial de Alphaville
06465-902 - Barueri - SP
Brazil
Fone 55 11 4166-9000
meioambiente@br.klueber.com

Emergency telephone number : 0800 745 1200
+49 89 7876 700 (24 hrs)

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 2

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms

:



Hazard statements

:

H402 Harmful to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:
P273 Avoid release to the environment.
Response:
P391 Collect spillage.

Other hazards which do not result in classification

None known.

Additional Labelling

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
If symptoms persist, call a physician.
In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
Do not flush into surface water or sanitary sewer system.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved waste disposal plant.
Refer to manufacturer/ supplier for information on recovery/ recycling.
FOLLOW THE VEHICLE AND/OR EQUIPMENT MANUFACTURER'S RECOMMENDATIONS.

The Safety Data Sheet for this (hazardous) chemical product can be obtained by email: medi-oambiente@br.klueber.com

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Chemical nature

: Mineral oil.
Synthetic hydrocarbon oil
polyurea

Hazardous components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-----------------------------------------|------------|-----------------------|
| Residual oils (petroleum), hydrotreated | 64742-57-0 | >= 50 -< 70 |

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

| | | |
|--------------------------------------------------------------------------------|--------------|------------------|
| polyurea | 1266545-95-2 | $\geq 5 - < 10$ |
| Phenol, isopropylated, phosphate (3:1) | 68937-41-7 | $\geq 1 - < 2,5$ |
| Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol | Not Assigned | $\geq 0,1 - < 1$ |

SECTION 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Obtain medical attention.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Allergic appearance
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus
- Specific extinguishing methods : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
- Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------------------------------|------------|------------------------------------|------------------------------------------------|-------|
| Residual oils (petroleum), hydrotreated | 64742-57-0 | TWA (Inhalable particulate matter) | 5 mg/m ³ | ACGIH |

- Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

- Respiratory protection : Not required; except in case of aerosol formation.

- Filter type : Filter type P

Hand protection

- Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

- Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

- Eye protection : Safety glasses with side-shields

- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------------------------------------|--------------------------------------------------------------------------|
| Appearance | : paste |
| Colour | : brown |
| Odour | : characteristic |
| Odour Threshold | : No data available |
| pH | : Not applicable |
| Melting point/range | : No data available |
| Boiling point/boiling range | : No data available |
| Flash point | : Not applicable |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : Combustible Solids |
| Self-ignition | : No data available |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapour pressure | : < 0,001 hPa (20 °C) |
| Relative vapour density | : No data available |
| Relative density | : 0,900 (20 °C) Reference substance: Water The value is calculated |
| Density | : 0,90 g/cm ³ (20 °C) |
| Bulk density | : No data available |
| Solubility(ies) | |
| Water solubility | : insoluble |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

| | | |
|---------------------------|---|-------------------|
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | Not applicable |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | No data available |
| Sublimation point | : | No data available |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|-------------------------------------------------------------|
| Reactivity | : | No hazards to be specially mentioned. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | : | No conditions to be specially mentioned. |
| Incompatible materials | : | No materials to be especially mentioned. |
| Hazardous decomposition products | : | No decomposition if stored and applied as directed. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

| | | |
|---------------------------|---|---------------------------------------------|
| Acute oral toxicity | : | Remarks: This information is not available. |
| Acute inhalation toxicity | : | Remarks: This information is not available. |
| Acute dermal toxicity | : | Symptoms: Redness, Local irritation |

Components:

Residual oils (petroleum), hydrotreated:

| | | |
|-----------------------|---|--------------------------------------------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 |
| Acute dermal toxicity | : | LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 |

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

polyurea:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Phenol, isopropylated, phosphate (3:1):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg
GLP: no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

polyurea:

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Rabbit
Exposure time : 72 h
Assessment : No skin irritation
Result : No skin irritation
GLP : no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : reconstructed human epidermis (RhE)
Assessment : No skin irritation
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405

polyurea:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
GLP : no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : Rabbit
Result : No eye irritation

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Assessment : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

| | |
|------------|---------------------------------------------|
| Species | : Guinea pig |
| Assessment | : Does not cause skin sensitisation. |
| Method | : OECD Test Guideline 406 |
| Result | : Does not cause skin sensitisation. |
| | : Does not cause respiratory sensitisation. |
| | : Does not cause respiratory sensitisation. |

polyurea:

| | |
|------------|--------------------------------------|
| Test Type | : Maximisation Test |
| Species | : Guinea pig |
| Assessment | : Does not cause skin sensitisation. |
| Method | : OECD Test Guideline 406 |
| Result | : Does not cause skin sensitisation. |
| GLP | : yes |

Phenol, isopropylated, phosphate (3:1):

| | |
|------------|------------------------------------------------------|
| Species | : Mouse |
| Assessment | : Did not cause sensitisation on laboratory animals. |
| Method | : OECD Test Guideline 429 |
| Result | : Did not cause sensitisation on laboratory animals. |
| GLP | : yes |

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

| | |
|------------|--------------------------------------------|
| Assessment | : May cause sensitisation by skin contact. |
| Result | : May cause sensitisation by skin contact. |

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

polyurea:

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster cells
Method: OECD Test Guideline 473
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Product:

Remarks : No data available

Components:

Residual oils (petroleum), hydrotreated:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Phenol, isopropylated, phosphate (3:1):

Reproductive toxicity - Assessment : - Fertility -
Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
- Teratogenicity -
Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Reproductive toxicity - Assessment : - Fertility -

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.11.2020 | Print Date: |
| 5.2 | 08.09.2021 | Date of first issue: 17.07.2013 | 08.09.2021 |

STOT - single exposure

polyurea:

STOT - repeated exposure

polyurea:

Phenol, isopropylated, phosphate (3:1):

Repeated dose toxicity

Components:

polyurea:

Aspiration toxicity

Components:

Residual oils (petroleum), hydrotreated:

a brand of

 **FREUDENBERG**

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

polyurea:

No aspiration toxicity classification

Phenol, isopropylated, phosphate (3:1):

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: Immobilization

polyurea:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

| | | |
|----------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| aquatic invertebrates | | Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes |
| Toxicity to algae | : | EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes |
| Toxicity to microorganisms | : | EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes |

Phenol, isopropylated, phosphate (3:1):

| | | |
|------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l Exposure time: 96 h Test Type: static test Remarks: Information given is based on tests on the mixture itself. |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 2,44 mg/l Exposure time: 48 h Test Type: semi-static test Remarks: Information given is based on tests on the mixture itself. |
| Toxicity to algae | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 2,5 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes Remarks: Information given is based on tests on the mixture itself. |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 0,0031 mg/l Exposure time: 33 d Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0,0415 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 |
| M-Factor (Chronic aquatic toxicity) | : | 10 |

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

polyurea:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 23,9 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Phenol, isopropylated, phosphate (3:1):

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: 17,9 %
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability : Result: Not rapidly biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

polyurea:

Partition coefficient: n-octanol/water : log Pow: > 6 (20 °C)
Method: OECD Test Guideline 117

Phenol, isopropylated, phosphate (3:1):

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

Partition coefficient: n-octanol/water : log Pow: 4,92 - 5,17 (25 °C)

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n-octanol/water : log Pow: 9,01

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

Components:

Phenol, isopropylated, phosphate (3:1):

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

UNRTDG

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Triaryl Phosphate Isopropylated, triphenyl phosphate)
 Class : 9
 Packing group : III
 Labels : 9

IATA-DGR

UN/ID No. : UN 3077
 Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
 (Triaryl Phosphate Isopropylated, triphenyl phosphate)
 Class : 9
 Packing group : III
 Labels : Miscellaneous
 Packing instruction (cargo aircraft) : 956
 Packing instruction (passenger aircraft) : 956
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Triaryl Phosphate Isopropylated, triphenyl phosphate)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ANTT

UN number : UN 3077
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
 (Triaryl Phosphate Isopropylated, triphenyl phosphate)
 Class : 9
 Packing group : III
 Labels : 9
 Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

PETAMO GHY 133 N (H)

| | | | |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|
| Version 5.2 | Revision Date: 08.09.2021 | Date of last issue: 17.11.2020 Date of first issue: 17.07.2013 | Print Date: 08.09.2021 |
|----------------|------------------------------|-------------------------------------------------------------------|---------------------------|

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Technical Standard ABNT NBR 14725 in conformity with GHS

Decree No. 96.044 of May 18, 1988 and ANTT Resolution No. 5.947 of June 1st, 2021, which approves supplementary instructions to the Regulation for the Transport of Hazardous Products by Road.

Law No. 12.305, of August 2, 2010, establishing the National Policy on Solid Waste

Federal Decree No. 2.657 of July 3, 1998 (Promulgates Convention 170 of the International Labor Organization, 1990)

Ordinance No. 229 of May 24, 2011 (Amending Regulatory Standard No. 26 of the Ministry of Labor and Employment)

Resolution No. 362, June 23, 2005, establishes provisions for the gathering, collection and final destination of used or contaminated lubrication oil .

International Regulations

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

PETAMO GHY 133 N (H)

| | | | |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 17.11.2020 | Print Date: |
| 5.2 | 08.09.2021 | Date of first issue: 17.07.2013 | 08.09.2021 |

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.